

UNCLASSIFIED

AD

404 704

DEFENSE DOCUMENTATION CENTER

FOR

SCIENTIFIC AND TECHNICAL INFORMATION

CAMERON STATION, ALEXANDRIA, VIRGINIA



UNCLASSIFIED

NOTICE: When government or other drawings, specifications or other data are used for any purpose other than in connection with a definitely related government procurement operation, the U. S. Government thereby incurs no responsibility, nor any obligation whatsoever; and the fact that the Government may have formulated, furnished, or in any way supplied the said drawings, specifications, or other data is not to be regarded by implication or otherwise as in any manner licensing the holder or any other person or corporation, or conveying any rights or permission to manufacture, use or sell any patented invention that may in any way be related thereto.

63-3-5

TM(ADC)820/282/00A

CATALOGED BY ASTIA

AD No. _____

404704

TECHNICAL MEMORANDUM

(TM Series)

DDC AVAILABILITY NOTICE

Qualified requesters may obtain
copies of this report from DDC.

This document was produced by SDC in performance of contract AF 19(628)-1648,
Air Defense Command Program, for Air Defense Command.

SAGE Unique-to-Site Environmental
Data and Equipment Assignments
San Francisco ADS

by

D. M. McDaniel

22 March 1963

SYSTEM
DEVELOPMENT
CORPORATION
2500 COLORADO AVE.
SANTA MONICA
CALIFORNIA

The views, conclusions or recommendations expressed in this document do not necessarily reflect the official views or policies of agencies of the United States Government.

Permission to quote from this document or to reproduce it, wholly or in part, should be obtained in advance from the System Development Corporation.

Although this document contains no classified information it has not been cleared for open publication by the Department of Defense. Open publication, wholly or in part, is prohibited without the prior approval of the System Development Corporation.



404704

INTRODUCTION

This volume of the TM(ADC)820 Series contains the official SAGE unique-to-site environmental data and equipment assignments which are to be used in adapting the Model 9 computer programs and in Simplex Data Distribution Unit terminal assignments for the San Francisco Air Defense Sector. Certain adaptation data such as facility locations, characteristics, and other related data which apply to all sectors, is presented in volumes 3 through 7 of this TM series. The reader is referred to Volume 0 of this series for a detailed list of contents of all volumes.

SAGE Unique-to-Site Equipment Review (USER) Committee signatures appear on page 5 of this document, with initials indicating approval, concurrence or review, as appropriate.

ADCM 55-32 currently defines adaptation data as being of two categories: 1) ADC Controlled Data; and 2) Field Controlled Data. A portion of this document is ADC Controlled Data and therefore constitutes a reason for the ADC Foreword page and the NORAD Preface page authorizing the use of this data. However, since this document also contains Field Controlled Data, e.g.: "Times-2" display data; Manual Input data; etc. it is noted here that the aforementioned military preface and foreword page do not in any way usurp the position of the Division and Sector Commanders as delegated in ADCM 55-32, but instead reflect recognition of data forwarded by those Commanders to SDC.

Discrepancies noticed in any part of this document by SDC on-site programming teams should be forwarded to the authors utilizing current established procedures. Revisions to this document will be published as data changes occur or when practical. Changes to previous data will be indicated by use of a "▷" next to the data change.

SERIES CONTENTS

VOLUME	0	Series Description
VOLUME	1	Adaptation I/O Limits and Drum Channel Requirements
VOLUME	2	Sector Environment Summaries
VOLUME	3	Sector and Region Positional Data
VOLUME	4	Radar Adaptation Data
VOLUME	5	Voice and Data-Link Communications Adaptation Data
VOLUME	6	Airbase and BOMARC Squadron Adaptation Data
VOLUME	7	ADA Site Adaptation Data
VOLUME	10	Unified Adaptation Guide for Region and Sector Data
VOLUMES	250	SAGE Unique-to-Site Environmental Data and
through	351	Equipment Assignments

22 March 1963

2

TM(ADC)820/282/00A

LIST OF EFFECTIVE PAGES

This page is a reference of changes to this volume and contains a complete index of all effective pages.

Page No.	Change Letter	Publication Date	Page No.	Change Letter	Publication Date
1 - 2	A	22 Mar 63			
3 - 4	Basic	15 Oct 62			
5	Basic	15 Oct 62			
6	A	22 Mar 63			
7	Basic	15 Oct 62			
8 - 11	A	22 Mar 63			
12 - 16	Basic	15 Oct 62			
17	A	22 Mar 63			

15 October 1962

5

TM(ADO)820/282/00

USER COMMITTEE SIGNATURES

	APPROVAL	CONCURRENCE	REVIEW
APASTO <i>Wm. H. Aderhold</i> LT. COL., USAF	<i>WHA</i>		
SDC (DAS) <i>R. D. Marshall</i>		<i>Rm</i>	
WE/ADES <i>C. L. Lynn, Jr.</i>			<i>C. L. Lynn, Jr.</i>
IBM <i>D. A. Lee</i>			<i>D. A. Lee</i>

The SAGE Unique-to-Site Equipment Review (USER) Committee signatures appearing on this page only apply to the following sections:

Section 2.4	IRI drum channel assignments
Section 6.2	Lateral-Tell input channel assignments
Section 6.3	Ground-to-ground data link output assignments
Section 6.4	Ground-to-air data link output assignments
Section 6.5	Teletype output assignments

All other sections of this document need not be reviewed by the USER committee. This page will only be reissued when changes to the above mentioned sections are made.

INDEX PAGE

- 1.0 SECTOR POSITIONAL DATA
 - 1.1 SECTOR PROGRAM BOUNDARIES
 - 1.1.1 MODE I BOUNDARY
 - 1.1.2 MODE II BOUNDARIES
 - 1.2 MAJOR WORLD GEORFFS SURROUNDING X1 AREA
 - 1.3 ADJACENT AUTOMATIC AND MANUAL SECTORS
 - 1.4 LAND SFA LINES
 - 1.5 AIR DEFENSE IDENTIFICATION ZONE
 - 1.6 SECTOR MINIMUM ENROUTE ALTITUDE
 - 1.7 TACAN TRANSMITTER NEAREST SECTOR CENTER
 - 1.8.0 MAGNETIC VARIATION LINES
 - 1.8.1 MAGNETIC VARIATION AT SECTOR CENTER
 - 1.9 X2 DISPLAY DATA
- 2.0 RADAR DATA
 - 2.1 LONG RANGE RADARS - LRR - HF - ALRR
 - 2.2 GAP FILLER RADARS
 - 2.3 LOCATION OF POINT NOT WITHIN ANY HF SHADOW AREA
 - 2.4 LRR DRUM CHANNEL ASSIGNMENTS
- 3.0 AIRBASE DATA
 - 3.1 MANNED INTERCEPTOR AIR BASES AND SQUADRONS
 - 3.2 SAC BASES
- 4.0 BOMARC DATA
 - 4.1 BOMARC A BASES
 - 4.2 BOMARC B BASES
- 5.0 ARMY AIR DEFENSE COMMAND POST (AADCP) DATA
- 6.0 COMMUNICATIONS DATA
 - 6.1 TIME DIVISION DATA LINK RADIO SITES
 - 6.2 LATERAL-TELL INPUT CHANNEL ASSIGNMENTS
 - 6.3 GROUND TO GROUND DATA LINK OUTPUT ASSIGNMENTS
 - 6.4 GROUND TO AIR DATA LINK OUTPUT ASSIGNMENTS
 - 6.5 TELETYPE OUTPUT ASSIGNMENTS
 - 6.6 LATERAL-TELL ROUTING TABLE
- 7.0 MANUAL INPUTS

15 OCTOBER 1962

7

TM(ADC)820/282/00

1.0 SECTOR POSITIONAL DATA

SECTOR - SAN FRANCISCO

REGION - 28TH

AMP NO. 005

1.1 SECTOR PROGRAM BOUNDARIES

1.1.1 MODE I BOUNDARY

REF	LATITUDE	LONGITUDE
01	040 00 00	131 00 00
02	040 00 00	120 00 00
03	037 30 00	119 10 00
04	036 28 00	118 50 00
05	033 30 00	128 00 00
06	OPEN TO WEST	

1.1.2 MODE II BOUNDARIES

MODE IIA - PORTLAND			MODE IIB - LOS ANGELES		
REF	LATITUDE	LONGITUDE	REF	LATITUDE	LONGITUDE
01	044 00 00	133 10 00	01	040 00 00	131 00 00
02	044 00 00	120 50 00	02	040 00 00	120 00 00
03	044 00 00	120 00 00	03	037 30 00	119 10 00
04	040 00 00	120 00 00	04	036 28 00	118 50 00
05	037 30 00	119 10 00	05	035 00 00	119 00 00
06	036 28 00	118 50 00	06	032 45 00	121 25 00
07	033 30 00	128 00 00	07	032 45 00	127 35 00
08	OPEN TO WEST		08	OPEN TO WEST	

1.2 MAJOR WORLD GEOREFS SURROUNDING X1 AREA

SWITCH CODE	GEOREF	SWITCH CODE	GEOREF	SWITCH CODE	GEOREF
1	CH	4	DH	7	EH
2	CJ	5	DJ	8	EJ
3	CK	6	DK	9	EK

22 MARCH 1963

8

TM(ADC)820/282/00A

1.3 ADJACENT AUTOMATIC AND MANUAL SECTORS

AUTOMATIC SECTOR NAME	AUTO LTR. DSG.	SECTOR REF.NO. (EQ.ID.)	D/L TIED	AMP NO.	SWITCH CODE	MAN LTR. DSG.	MANUAL SECTOR NAME **
LOS ANGELES	U	10	YES	017	0 *		
PORTLAND	M	1	YES	013	1		
PHOENIX	K	2		021	2		
SEATTLE	G	2		012	3		
					4		
RENO	X	5	YES	016	5		
					6		
					7		
					8		
SPOKANE	Y	9		015	9		

*SWITCH NO. 0 ON 10PB MODULES AND SWITCH NO. 10 ON 15PB MODULES
 **ONLY MDC'S WITH DC TTY OUTPUT ARE INDICATED

1.4 LAND SEA LINES

		NORTH POINT	SOUTH POINT
1	MODE I	<u>040 29 49</u>	<u>125 18 13</u> <u>033 25 45</u> <u>120 06 54</u>
2	MODE IIA	<u>044 30 21</u>	<u>126 53 07</u> <u>034 59 53</u> <u>122 12 59</u>
3	MODE IIB	<u>040 29 49</u>	<u>125 18 13</u> <u>033 25 45</u> <u>120 06 54</u>

1.5 AIR DEFENSE IDENTIFICATION ZONE - ADIZ/CADIZ

REF	LATITUDE	LONGITUDE
01	034 00 00	120 30 00
02	038 52 00	124 00 00
03	040 00 00	124 33 00
04	043 00 00	124 40 00
05	045 00 00	124 35 00

22 MARCH 1963

9

TM(ADC)820/282/00A

1.6 SECTOR MINIMUM ENROUTE ALTITUDE. 17000 FEET

1.7 TACAN TRANSMITTER NEAREST SECTOR CENTER

LATITUDE LONGITUDE
037 24 00 120 35 00

▷ 1.8.0 MAGNETIC VARIATION LINES

LINE NO.	VARIATION	NORTHERN LATITUDE	POINTS LONGITUDE	SOUTHERN LATITUDE	POINTS LONGITUDE
1	20 DEG E	041 45 00	125 20 00	042 30 00	118 50 00
2	19 DEG E	040 06 00	124 45 00	041 48 00	118 25 00
3	18 DEG E	038 16 00	124 25 00	041 04 00	117 40 00
4	17 DEG E	036 25 00	124 00 00	038 25 00	118 57 00
5	16 DEG E	034 00 00	123 17 00	035 45 00	118 50 00
6	15 DEG E	031 10 00	122 35 00	033 15 00	118 30 00

▷ 1.8.1 MAGNETIC VARIATION AT SECTOR CENTER 18 DEGREES EAST

1.9 X2 DISPLAY DATA

X2 DISPLAY CENTER		X2 DISPLAY VERTICES	
LATITUDE	LONGITUDE	LATITUDE	LONGITUDE
▷ 038 29 58	126 04 21	1 NE 044 41 46	117 52 40
		2 SE 032 21 42	118 27 47
		3 SW 031 51 15	132 56 27
		4 NW 044 00 37	135 00 00

22 MARCH 1963

10

TM(ADC)820/282/00A

2.0 RADAR DATA

2.1 LONG RANGE RADARS,
LRR-HF-ALRR

MULTIPLEXED GAP FILLER RADARS

SWCH. CODE*	SITE DESIG.	NO.OF TIED LTR. HF'S DSG.	MODE	AMP NO.	SWCH. CODE	SITE DESIG.	SWCH. CODE	SITE DESIG.
0								
1	P-12	2	B	IIA	069	0	P-12A	3
						1	P-12B	4
						2	P-12C	5
2	P-33	2	C	IIA/OL	091			
3	TM-180	2	D	IIA	174			
4	**P-74	2	E	I	131			
5	**SM-157	2	F	IIA/OL	161	0	SM-157A	3
						1	P-33A/SM-157B	4
						2		5
6	**M-96	2	G	I	035			
7	**P-58	0	H	I	114			
▷ 8	**P-37	2	J		095			
9	RP-15	2	K	IIB/OL	065			
10	P-2	2	L	IIB/OL	065	0	P-2A	3
						1		4
						2		5
11	**P-38	2	M	I	096			
12								
13								

*SAME AS REFERENCE NO. MINUS 1, ID CODE, AND WARNING LIGHT NUMBER. TO OBTAIN LRR PROGRAM CHANNEL NUMBER ADD 35, TO OBTAIN MKX PROGRAM CHANNEL NUMBER ADD 49

** 6 LRR'S WITH THE MOST MODE I COVERAGE

GFR IDENTITY NUMBER AND SWITCH CODE BASED ON IMPLEMENTATION OF SPCR 1579.

22 MARCH 1963

11

TM(ADC)820/282/00A

2.2 GAP FILLER RADARS

GFR CH NO*	SITE IDENT	MODE	AMP NO.	TIED LRR SWCH CODE	GFR SWCH CODE**
▷ 0					
1	P-2A	I	057	10	0
2	P-33A/SM-157B	IIA	095	5	1
3	SM-157A	IIA	161	5	0
4					
5	P-12A	IIA	061	1	0
6	P-12B	IIA	061	1	1
7	P-12C	IIA	062	1	2
8					
9	THRU 34 BLANK				

*SAME AS REFERENCE NUMBER MINUS 1

**GFR SWITCH CODE BASED ON IMPLEMENTATION OF SPCR 1579

2.3 LOCATION OF POINT NOT WITHIN ANY HF SHADOW AREA

LATITUDE	LONGITUDE
037 28 00	126 38 00

15 OCTOBER 1962

12

TM(ADC)820/282/00

2.4 LRR DRUM CHANNEL ASSIGNMENTS

SDDU CONNECTIONS

SITE LOCATION	TELCO TERMINAL	I.B.M. TERMINAL DRUM FIELD 1 (35)	CHANNEL NUMBER	SITE IDENT
P-74	3F- 1	3F- 1	1	0100
	3F- 2	3F- 2	2	0100
SM-157	3F- 3	3F- 3	3	0101
	3F- 4	3F- 4	4	0101
P-33	3F- 5	3F- 5	5	0010
	3E- 6	3E- 6	6	0010
TM-180	3E- 7	3E- 7	7	0011
	3E- 8	3E- 8	8	0011
M-96	3E- 9	3E-11	11	0110
	3E-10	3E-12	12	0110
P-58	3D-11	3D-13	13	0111
	3D-12	3D-14	14	0111
	3D-13	3D-15	15	
	3D-14	3D-16	16	
	3D-15	3D-17	17	
	3C-16	3C-18	18	
DRUM FIELD 2 (37)				
P-38	3C-17	3C-19	19	1011
	3C-18	3C-20	20	1011
P-2	3C-19	3C-21	21	1010
	3C-20	3C-22	22	1010
P-12	3B-21	3B-23	23	0001
	3B-22	3B-24	24	0001
P-37	3B-23	3B-25	25	1000
	3B-24	3B-26	26	1000
RP-15	3B-25	3B-29	29	1001
	3A-26	3B-30	30	1001
	3A-27	3A-31	31	
	3A-28	3A-32	32	
	3A-29	3A-33	33	
	3A-30	3A-34	34	
	4F-31	4F-35	35	
	4F-32	4F-36	36	

22 MARCH 1963

17
(last page)

TM(ADC)820/282/00A

6.6 LATERAL-TELL ROUTING TABLE - FIRST STOP

SECTOR DSG	SECTOR REFERENCE NUMBER				
	1ST ROUTE	2ND ROUTE	3RD ROUTE	4TH ROUTE	5TH ROUTE
1					
2					
3					
4					
5					
6					
7					
8					
9					
10					
11					
12	5	1			
13	1	5			
14					
15	5	1			
16	5	10	1		
17	10	5			
18					
19	5	1			
20	5	1			
21	5	10			
22	5	1			
23					
24					
25					
26					
27					
28					
29					
30					
31					

7.0 MANUAL INPUTS

SSR NO.	NAME/IDENT	TYPE	55-20 DESIG	SSR NO.	NAME/IDENT	TYPE	55-20 DESIG
01	28TH CC		TQ	10	STA 7 AND 17	PV	TS
02	STA 3 AND 13	AEW	MO	11	STA 9 AND 19	PV	UR
03	STA 5 AND 15	AEW	IV	12	<u>IM-180</u>	<u>MDC</u>	<u>MD</u>
04	STA 7 AND 17	AEW	TT	13	<u>P-37</u>	<u>MDC</u>	<u>IA</u>
05	STA 9 AND 19	AEW	UV	14	<u>M-96</u>	<u>MDC</u>	<u>IE</u>
06	STA 23	AEW	TR	15	<u>P-59</u>	<u>MDC</u>	<u>UE</u>
07	<u>STA 33</u>	<u>AEW</u>	<u>MX</u>	16	SM-156	MDC	X8
08	<u>STA 3 AND 13</u>	<u>PV</u>	<u>MF</u>	17			
09	STA 5 AND 15	PV	MS	18			

22 March 1963

TM(ADC)820/282/00A

DISTRIBUTION LIST

PIR-A #4 WECO Group A - New York (5 and 1 vellum)
WECO - Santa Monica (room 3311B)

PIR-A #5 IEM - Kingston (6 and 1 vellum)
IEM - Santa Monica (room 3311A)

PIR-A #31 ADC-CCDSO (3)
AD4SY

PIR-A #36 ADC-DIV SEC HQ
28th Div. HQ
PHADS
READS
LAADS
SFADS

PIR-A # 41 ADC HQ and NORAD
ADOOP-E
ADOAC-EE (Mr. R. W. Carvill)

PIR-A #48 HQ ESD
ESSGL 416L SPO

APASTO

AD8CP-E
AD8CP-T

RCAF

Ft/Lt G. R. Todd, RCAF
Santa Monica, California

SYSTEM DEVELOPMENT CORPORATION

USG Sec 2 (3) 4345
USG DAS (6) 4365
FPB SSG System Data (2) 20157
STB SSG Run Designer 4770
PTG Control Unit Phoenix
FIB HQ 24191
FIB Group Head - Hamilton
FIB Team Heads - San Francisco (Beale)
Los Angeles (Norton)
Reno (Stead)
Phoenix (Luke)

UNCLASSIFIED

System Development Corporation,
Santa Monica, California
SAGE UNIQUE-TO-SITE ENVIRONMENTAL
DATA AND EQUIPMENT ASSIGNMENTS
SAN FRANCISCO ADS.
Scientific rept., TM(ADC)-820/282/00A,
by D. M. McDaniel. 22 March 1963, 12p.
(Contract AF 19(628)-1648,
Air Defense Command Program, for Air
Defense Command)

Unclassified report

DESCRIPTORS: Air Defense Command.

Identifiers: SAGE Model 9.

UNCLASSIFIED

Presents change pages to "SAGE Unique-
to-Site Environmental Data and
Equipment Assignments - San
Francisco ADS", dated 15 October 1962,
by D. M. McDaniel.

UNCLASSIFIED

UNCLASSIFIED